


CETUS® QUICK REFERENCE GUIDE



<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CT708R	Woven Nylon	Polyamide	\$	Both Sides Thermal Transfer with HL30, HL35, HL101 Impact, Flexographic

Applications Include: Garment Care and Textile Labels, Withstands washing & dry cleaning

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CT708R2	Dip-Coated Nylon Taffeta	Polyamide	\$	Both Sides Thermal Transfer with HL30, HL35, HL101 Letterpress, Silk Screen, Hot Stamp

Applications Include: Garment Care and Textile Labels, Withstands washing & dry cleaning

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CT721R	Woven Nylon	Polyamide	\$	Both Sides Thermal Transfer with HL35 and HL101 Impact, Flexographic

Applications Include: Garment Care and Textile Labels, Withstands washing & dry cleaning

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP1104	Woven Nylon	Polyamide	\$\$	Both Sides Thermal Transfer with HL30, HL35, HL101 Letterpress, Offset, Impact, Flexographic

Applications Include: Garment Care and Textile Labels, Name Tags for Uniforms, Sports Clothing Labels, and Shoe Size Labels, Withstands washing & dry cleaning

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP1106	Woven Nylon	Polyamide	\$\$	Both Sides Thermal Transfer with HL30, HL35, HL101 Letterpress, Offset, Impact, Flexographic

Applications Include: Seat Belt Labels, Air Bags, Kevlar Vests, High-heat applications such as Wire and Metal Tags, Meets FMVSS 302 Standard (self-extinguishing), Withstands washing & dry cleaning

Dynic USA Corporation
4750 NE Dawson Crk. Dr.
Hillsboro, Oregon 97124
Phone (800) 326-1249
or (503) 693-1070
Fax (503) 648-1185
www.dynic.com

Copyright 2016 Dynic USA Corporation. All rights reserved.

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP1110	Woven Nylon	Polyamide	\$	Both Sides Thermal Transfer with HL30, HL35, HL101 Letterpress, Offset, Impact, Flexographic

Applications Include: Plush Toy and Doll Tags, Sports Clothing Labels, Shoe Size Labels, Withstands washing & dry cleaning

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP1140ss	Woven Nylon	Polyamide	\$\$	1 Side Only Thermal Transfer with HL30, HL35, HL101 Letterpress, Offset, Impact, Flexographic

Applications Include: Wire Tags and Labels. Customer adds own adhesive to this product, Withstands washing & dry cleaning

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP1140ssHMPA Plus	Woven Nylon	Polyamide and Hot-Melt Adhesive	\$\$\$\$	1 Side Only Thermal Transfer with HL30, HL35, HL101 Letterpress, Offset, Impact, Flexographic

Applications Include: Name Tags for Uniforms, Withstands washing & dry cleaning

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP1401	Woven Nylon	Polyurethane	\$\$\$	1 Side Only Thermal Transfer with HL30 and HL101

Applications Include: Seat Belt Labels, Applications where the material must be Self-Extinguishing, Meets FMVSS 302 Standard (self-extinguishing)

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP6301K	Woven Polyester	Urethane	\$\$	1 Side Only Thermal Transfer with HL35 and HL101 Letterpress, Offset, Impact, Flexographic

Applications Include: Garment Labels that must withstand Stone-Washing, Withstands washing & dry cleaning

Dynic USA Corporation
4750 NE Dawson Crk. Dr.
Hillsboro, Oregon 97124
Phone (800) 326-1249
or (503) 693-1070
Fax (503) 648-1185
www.dynic.com

Copyright 2016 Dynic USA Corporation. All rights reserved.

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP5103	Non-Woven Polyester	Polyamide	\$\$	Both Sides Letterpress, Offset, Impact, Flexographic

Applications Include: Law Labels such as Mattress and Furniture Tags

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP8202	Black Polyester Satin	Polyurethane	\$\$\$\$	1 Side Only Thermal Transfer with HL35 and HL101

Applications Include: Seat Belt Labels, Applications where the material must be Self-Extinguishing, Meets FMVSS 302 Standard (self-extinguishing)

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
PST104BLN	Polyester Satin		\$\$	1 Side Only Thermal Transfer with HL35 and HL101

Applications Include: Lingerie, Garment Care and Textile Labels, Withstands washing & dry cleaning

<u>Product Name</u>	<u>Material</u>	<u>Coating</u>	<u>Cost</u>	<u>Print Method</u>
CP3210HMES	Coated Cotten	Hot-Melt Adhesive	\$\$\$\$	1 Side Only Thermal Transfer with HL35 and HL101

Applications Include: Industrial Washing Applications, Linens

Dynic USA Corporation
4750 NE Dawson Crk. Dr.
Hillsboro, Oregon 97124
Phone (800) 326-1249
or (503) 693-1070
Fax (503) 648-1185
www.dynic.com

Copyright 2016 Dynic USA Corporation. All rights reserved.